




NTN DRIVESHAFT ANDERSON, INC.



INA 89440-M thrust roller bearings

Bearing No. 89440-M

89440-M Bearing 2D drawings and 3D CAD models

Size	200x400x122 mm
Bore Diameter	200 mm
Outer Diameter	400 mm
Width	122 mm
d	200 mm
D	400 mm
T	122 mm
D ₁	205 mm
d ₁	400 mm
r _{min}	5 mm
m	82,6 kg / Weight
C _a	2700000 N / Dynamic load rating (axial)
C _{0a}	10200000 N / Static load rating (axial)
C _{ua}	880000 N / Fatigue limit load
n _G	960 1/min / Limiting speed
n _B	305 1/min / Reference speed
- K89440-M / Allocated axial cylindrical roller and cage assembly	K89440M / Allocated axial cylindrical roller and cage assembly
	GS89440 / Allocated housing locating washer
Category	Thrust Roller Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP



NTN DRIVESHAFT ANDERSON, INC.

Minimum Buy Quantity	N/A
Weight / Kilogram	89.572
EAN	4012802415018
Product Group	B04144
Rolling Element	Cylindrical Roller Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Machined Brass
Precision Class	ABEC 1 ISO P0
Other Features	Double Row Axial Cylindrical Roller High Axial Load
Long Description	200MM Bore 1; 205MM Bore 2; 400MM Outside Diameter; 122MM Height; Cylindrical Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Machined Brass Cage; ABEC 1 ISO P0; Roller Assembly plu
Inch - Metric	Metric
Category	Thrust Roller Bearings
UNSPSC	31171507
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Keyword 3	Cylindrical
Keyword String	Thrust Roller Cylindrical
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	89440M
Weight / LBS	182.102
Overall Height with	0 Inch 0 Millimeter



NTN DRIVESHAFT ANDERSON, INC.

Aligning Washer	
Height	4.803 Inch 122 Millimeter
Bore 2	8.071 Inch 205 Millimeter
Outside Diameter	15.748 Inch 400 Millimeter
Bore 1	7.874 Inch 200 Millimeter